Fujii, S. and Sumikawa, K.
Acute and chronic nicotine exposure reverse age-related declines in the induction of long-term potentiation in the rat hippocampus (894) 347
Fuxe, K., see Ferraro, L. (894) 307

Gabriel, S., see Ko, H.-K. (894) 297
Geller, E.B., see Benamar, K. (894) 266
Giovannini, M.G., see Kopf, S.R. (894) 141
Gómez-Márquez, J., see Anadón, R. (894) 255
Goto, M., see Yoshida, Y. (894) 46
Graulich, J., see Ko, H.-K. (894) 297

Hardy, S.G.P.
Hypothalamic projections to cardiovascular centers of the medulla (894) 233
Heinemann, U., see Ko, H.-K. (894) 297
Herbin, M., see Théoret, H. (894) 274
Hernandez, T.D., see Buytaert, K.A. (894) 121
Hirbec, H., Kamenka, J.M., Privat, A. and Vignon, J.
Interaction of gacyclidine enantiomers with 'non-NMDA' binding sites in the rat central nervous system (894) 189
Ho, I.K., see Park, Y. (894) 311
Hurst, A., see Hurst, R.D. (894) 181
Hurst, R.D., Azam, S., Hurst, A. and Clark, J.B.
Nitric-oxide-induced inhibition of glyceraldehyde-3-phosphate dehydrogenase may mediate reduced endothelial cell monolayer integrity in an in vitro model blood–brain barrier (894) 181
Hyde, L.A., see Balogh, S.A. (894) 157

Ichimura, K., see Takahashi, K. (894) 359
Ikematsu, S., see Yoshida, Y. (894) 46
Inturrisi, C.E., see Davis, A.M. (894) 150
Irvine, E.E., Cheeta, S. and File, S.E.
Development of tolerance to nicotine's anxiogenic effect in the social interaction test (894) 95

Kakuta, S., see Oda, S. (894) 109
Kalfin, R., see Kopf, S.R. (894) 141
Kamenka, J.M., see Hirbec, H. (894) 189
Kamiya, K., see Takahashi, K. (894) 359
Keep, M., Elmér, E., Fong, K.S.K. and Csiszar, K.
Intrathecal cyclosporin prolongs survival of late-stage ALS mice (894) 327
Kishi, K., see Oda, S. (894) 109
Kline, A.E., see Buytaert, K.A. (894) 121
Ko, H.-K., Zeller, M., Gabriel, S., Graulich, J., Heinemann, U. and Obladen, M.
Mild postischemic hypothermia is neuroprotective in the immature rat neocortex slice (894) 297
Ko, K.H., see Park, Y. (894) 311
Kopf, S.R., Benton, R.S., Kalfin, R., Giovannini, M.G. and Pepeu, G.
NO synthesis inhibition decreases cortical ACh release and impairs retention of a conditioned response (894) 141
Koshelev, V.B., see Bashkatova, V.G. (894) 145
Kramer, G.L., see Li, J. (894) 249
Kuida, K., see Takahashi, K. (894) 359
Kuroda, M., see Oda, S. (894) 109

Le Gal La Salle, G., see El Bahh, B. (894) 209
Leah, J., see Pearse, D. (894) 193
Leondiadis, L., see Anadón, R. (894) 255
Leré, C., see El Bahh, B. (894) 209
Levison, S.W., see Nataf, S. (894) 321
Li, J., Potts, J.T., Kramer, G.L., Petty, F. and Mitchell, J.H.
Activation of skeletal muscle afferents evokes release of glutamate in the subretrofacial nucleus (SRF) of cats (894) 249
Lieberman, J.A., see Miyamoto, S. (894) 167
Likler, E., see Buytaert, K.A. (894) 121
Lima, T.T.F., see Coitinho, A.S. (894) 68
Limbrick Jr., D.D., Pal, S. and DeLorenzo, R.J.
Hippocampal neurons exhibit both persistent Ca^{2+} influx and impairment of Ca^{2+} sequestration/extrusion mechanisms following excitotoxic glutamate exposure (894) 56
Livianou, E., see Anadón, R. (894) 255
Loh, H.H., see Park, Y. (894) 311
Lukiw, W.J., see Yu, W.H. (894) 37

Mailman, R.B., see Miyamoto, S. (894) 167
Martinez, G., Carnazza, M.L., Di Giacomo, C., Sorrenti, V. and Vanella, A.
Expression of bone morphogenetic protein-6 and transforming growth factor-β1 in the rat brain after a mild and reversible ischemic damage (894) 1
McDowell, C.S., see Balogh, S.A. (894) 157
Millar, C.J., see Buytaert, K.A. (894) 121
Millington, W.R., see Resch, G.E. (894) 316
Minami, A., Takeda, A., Nishibaba, D., Takefuta, S. and Oku, N.
Cadmium toxicity in synaptic neurotransmission in the brain (894) 336
Mirza, A., see Pearse, D. (894) 193
Mitchell, J.H., see Li, J. (894) 249
Mitridate de Novara, A.M., see Viapiano, M.S. (894) 31
Miyamoto, S., Mailman, R.B., Lieberman, J.A. and Duncan, G.E.
Blunted brain metabolic response to ketamine in mice lacking D_{1A} dopamine receptors (894) 167
Møller, F., see Alsbo, C.W. (894) 101
Momoi, T., see Takahashi, K. (894) 359
Montañez, S., see Buytaert, K.A. (894) 121
Mori, H., see Takahashi, K. (894) 359
Moritoyo, T., see Yoshida, Y. (894) 46
Muramatsu, T., see Yoshida, Y. (894) 46

Nataf, S., Levison, S.W. and Barnum, S.R.
Expression of the anaphylatoxin C5a receptor in the oligodendrocyte lineage (894) 321
Neigh, G.N., Arnold, H.M., Sarter, M. and Bruno, J.P.
Dissociations between the effects of intra-accumbens administration of amphetamine and exposure to a novel environment on accumbens dopamine and cortical acetylcholine release (894) 354
Nishibaba, D., see Minami, A. (894) 336
Niznik, H.B., see Yu, W.H. (894) 37

Obladen, M., see Ko, H.-K. (894) 297
Oda, S., Kuroda, M., Kakuta, S. and Kishi, K.
Differential immunolocalization of m2 and m3 muscarinic receptors in the anteroventral and anterodorsal thalamic nuclei of the rat (894) 109
Okada, K., Yuhi, T., Tsuji, S. and Yamashita, U.
Cyclooxygenase-2 expression in the hippocampus of genetically epilepsy susceptible El mice was increased after seizure (894) 332
Oku, N., see Minami, A. (894) 336
Osame, M., see Yoshida, Y. (894) 46

Pal, S., see Limbrick Jr., D.D. (894) 56
Park, Y., Ho, I.K., Fan, L.-W., Loh, H.H. and Ko, K.H.
Region specific increase of dopamine receptor D1/D2 mRNA expression in the brain of μ-opioid receptor knockout mice (894) 311
Pearse, D., Mirza, A. and Leah, J.
Jun, Fos and Krox in the hippocampus after noxious stimulation: simultaneous-input-dependent expression and nuclear speckling (894) 193
Pepeu, G., see Kopf, S.R. (894) 141
Petty, F., see Li, J. (894) 249
Potter, L.T., see Santiago, M.P. (894) 12
Potts, J.T., see Li, J. (894) 249
Privat, A., see Hirbec, H. (894) 189
Ptito, M., see Théoret, H. (894) 274

Quintela, I., see Anadón, R. (894) 255

Rambert, F.A., see Ferraro, L. (894) 307
Rayevsky, K.S., see Bashkatova, V.G. (894) 145
Reilly, S., see Trifunovic, R. (894) 288
Resch, G.E. and Millington, W.R.
Inhibition of interleukin-1β and prostaglandin E_2 thermogenesis by glycyl-glutamine, a pro-opiomelanocortin-derived peptide (894) 316
Rimanóczy, Á., Šlamberová, R. and Vathy, I.
Prenatal morphine exposure alters estrogen regulation of κ receptors in the cortex and POA of adult female

rats but has no effects on these receptors in adult male rats (894) 154
Rodríguez Moldes, I., see Anadón, R. (894) 255
Rougier, A., see El Bahh, B. (894) 209

Sadato, N., see Waki, A. (894) 88
Sakuma, S., see Yoshida, Y. (894) 46
Santiago, M.P. and Potter, L.T. Biotinylated m4-toxin demonstrates more M4 muscarinic receptor protein on direct than indirect striatal projection neurons (894) 12
Sarter, M., see Arnold, H.M. (894) 74
Sarter, M., see Neigh, G.N. (894) 354
Schliebs, R., see Apelt, J. (894) 21
Shanker, G., see Allen, J.W. (894) 131
Šlamberová, R., see Rimanóczy, Á. (894) 154
Sorrenti, V., see Martinez, G. (894) 1
Suga, M., see Takahashi, K. (894) 359
Sumikawa, K., see Fujii, S. (894) 340
Sumikawa, K., see Fujii, S. (894) 347

Takahashi, K., Kamiya, K., Urase, K., Suga, M., Takizawa, T., Mori, H., Yoshikawa, Y., Ichimura, K., Kuida, K. and Momoi, T. Caspase-3-deficiency induces hyperplasia of supporting cells and degeneration of sensory cells resulting in the hearing loss (894) 359
Takeda, A., see Minami, A. (894) 336
Takefuta, S., see Minami, A. (894) 336
Takizawa, T., see Takahashi, K. (894) 359
Tanganelli, S., see Ferraro, L. (894) 307
Tao, L., see Ye, J.H. (894) 241
Théoret, H., Boire, D., Herbin, M. and Ptito, M. Anatomical sparing in the superior colliculus of hemispherectomized monkeys (894) 274
Tomasini, M.C., see Ferraro, L. (894) 307
Trifunovic, R. and Reilly, S. Medial versus lateral parabrachial nucleus lesions in the rat: effects on cholecystokinin- and D-fenfluramine-induced anorexia (894) 288
Tsuji, S., see Okada, K. (894) 332
Tsutsui, J.-i., see Yoshida, Y. (894) 46

Urase, K., see Takahashi, K. (894) 359

Vanella, A., see Martinez, G. (894) 1
Vanin, A.F., see Bashkatova, V.G. (894) 145
Vathy, I., see Rimanóczy, Á. (894) 154
Viapiano, M.S., Mitridate de Novara, A.M., Fiszer de Plazas, S. and Bozzini, C.E. Prolonged exposure to hypobaric hypoxia transiently reduces $GABA_A$ receptor number in mice cerebral cortex (894) 31
Vignon, J., see Hirbec, H. (894) 189
Voogt, J.L., see Yang, S.-P. (894) 159

Wada, E., see Yamada, K. (894) 281
Wada, K., see Yamada, K. (894) 281
Wajner, M., see Coitinho, A.S. (894) 68
Waki, A., Yano, R., Yoshimoto, M., Sadato, N., Yonekura, Y. and Fujibayashi, Y. Dynamic changes in glucose metabolism accompanying the expression of the neural phenotype after differentiation in PC12 cells (894) 88
Waters, N.S., see Balogh, S.A. (894) 157
Wrang, M.L., see Alsbo, C.W. (894) 101

Xin, L., see Benamar, K. (894) 266

Yamada, K., Wada, E. and Wada, K. Female gastrin-releasing peptide receptor (GRP-R)-deficient mice exhibit altered social preference for male conspecifics: implications for GRP/GRP-R modulation of GABAergic function (894) 281
Yamashita, U., see Okada, K. (894) 332
Yang, S.-P. and Voogt, J.L. Mating-activated brainstem catecholaminergic neurons in the female rat (894) 159
Yano, R., see Waki, A. (894) 88
Ye, J.H., Tao, L. and Zalcman, S.S. Interleukin-2 modulates *N*-methyl-D-aspartate receptors of native mesolimbic neurons (894) 241
Yonekura, Y., see Waki, A. (894) 88
Yoshida, Y., Ikematsu, S., Moritoyo, T., Goto, M., Tsutsui, J.-i., Sakuma, S., Osame, M. and Muramatsu, T. Intraventricular administration of the neurotrophic factor midkine ameliorates hippocampal delayed neuronal death following transient forebrain ischemia in gerbils (894) 46
Yoshikawa, Y., see Takahashi, K. (894) 359
Yoshimoto, M., see Waki, A. (894) 88
Yu, W.H., Lukiw, W.J., Bergeron, C., Niznik, H.B. and Fraser, P.E. Metallothionein III is reduced in Alzheimer's disease (894) 37
Yuhi, T., see Okada, K. (894) 332

Zalcman, S.S., see Ye, J.H. (894) 241
Zeller, M., see Ko, H.-K. (894) 297